Serial No.: 10/826,630 Filed: April 16, 2004

Page : 2 of 14

## Amendments to the claims this listing of claims replaces all prior versions:

1. (Currently Amended) A machine-based method comprising

in connection with a project in which a user generates a predictive model based on historical data about a system being modeled:

selecting variables having at least a first predetermined level of significance from a pool of potential predictor variables associated with the data, to form a population of predictor variables,

extending the population of predictor variables to include non-linear interactions of variables,

extending the population of predictor variables to include linear and non-linear extensions with remaining previously excluded variables,

automatically selecting a model generation method from among a set of available model generation methods to match characteristics of the historical data,

generating a possible model of the extended population of <u>predictor</u> variables using a subsample of the data by the model generation method,

determining whether the possible model generalizes to the data other than the subsample, applying the possible model to all of the data to generate a final model,

cross-validating the final model using random portions of the data interacting with the system being modeled based on the final model, and

interacting with the system being modeled based on the final model.

- 2. (Original) The method of claim 1 also including displaying information to the user of the size of the pool of predictor variables.
- 3. (Previously Presented) The method of claim 1 also including enabling a user to point and click to reduce or extend the size of the pool of predictor variables, retaining only predictor variables having at least a second predetermined level of significance.

Serial No.: 10/826,630 Filed: April 16, 2004

Page : 3 of 14

4. (Currently Amended) The method of claim 1 in which the user is enabled to invoke an automatic process to select a class of models most suitable to the pool of <u>potential</u> predictor variables associated with the data.

- 5. (Currently Amended) The method of claim 1 in which the user is enabled to point and click to adjust the model selection criterion to retain only variables having at least a <u>certain</u> third predetermined level of significance for the target goal.
- 6. (Original) The method of claim 1 in which the user is enabled to point and click to cause display of information about the model performance.
- 7. (Previously Presented) The method of claim 6 in which the information about the model performance includes at least one of: a statistical report card, a link to a statistical report chart, a lift chart, a link to the lift chart, a response comparison chart for each decide for each predictor variable in the model, or a link to the response comparison chart.
- 8. (Original) The method of claim 7 in which invocation of the link to the statistical report card causes display of the statistics of model performance.
- 9. (Original) The method of claim 7 in which invocation of the link to the lift chart causes display of a non-cumulative lift chart.
- 10. (Original) The method of claim 7 in which invocation of the link to the response comparison chart causes display of a response chart for each predictor variable in the model for each segment of interest.
- 11. (Previously Presented) The method of claim 1 in which a user is enabled to choose interactively at least one performance criterion change or transformation or interaction of variables to improve a fit of the model.

Serial No.: 10/826,630 Filed: April 16, 2004

Page : 4 of 14

12. (Previously Presented) The method of claim 1 also including enabling a determination whether the model generalizes to the data other than the subsample, and, if so, applying the possible model to all of the data to generate a final model, and cross-validating the final model using random portions of the data.

- 13. (Original) The method of claim 12 in which the user is enabled to select at least one validation dataset and invoke a model process validation method.
- 14. (Original) The method of claim 12 in which the user is enabled to point and click to cause display of information about the model process validation.
- 15. (Previously Presented) The method of claim 12 in which the information about the model process validation includes at least one of: a statistical report card, a link to a statistical report chart, a cumulative lift chart, a link to the cumulative lift chart, a non-cumulative lift chart, a link to the non-cumulative lift chart.
- 16. (Original) The method of claim 1 in which the user is enabled to select at least one machine automated model development process applied to the entire dataset for a validated model process.
- 17. (Original) The method of claim 1 in which the user is enabled to point and click to cause display of information about the performance of the validated model process applied to the entire set of historical data.
- 18. (Previously Presented) The method of claim 17 in which the information about the model performance for two independent data subsets, the independent data subsets being randomly selected from the historical data, includes at least one of: a statistical report card, a link to a statistical report chart, a cumulative lift chart, a link to the cumulative lift chart, a non-cumulative lift chart, a link to the non-cumulative lift chart.

Serial No.: 10/826,630 Filed: April 16, 2004

Page : 5 of 14

19. (Original) The method of claim 18 in which the invocation of the link to the statistical report card causes display of the statistics of model process validation.

## 20-21. (Cancelled)

- 22. (Original) The method of claim 18 in which the final model and the model process validation results are stored persistently.
- 23. (Original) The method of claim 1 also including enabling the user to observe the number of predictor variables available for the model.
- 24. (Previously Presented) The method of claim 1 in which a model method from a library of model methods most suitable to modeling the historical data is automatically selected.
- 25. (Original) The method of claim 1 also including enabling the user to observe the performance of the model by means of links to a plurality of statistical and graphical reports.
- 26. (Original) The method of claim 1 also enabling the user to select a means of validating the model development process.
- 27. (Previously Presented) The method of claim 1 also enabling the user to observe the performance of the model for a training subset and a validation subset of the historical data.
- 28. (Previously Presented) The method of claim 1 also enabling the user to invoke at least one validated model development process to produce a final model enabling the user to observe the performance of the final model on at least two independent subsets, the independent subsets being randomly selected from the historical data.
- 29. (Previously Presented) The method of claim 1 enabling the persisting of the final model and intermediate results to a project database.

Serial No.: 10/826,630 Filed: April 16, 2004

Page : 6 of 14

30. (Original) The method of claim 1 enabling the final model to be applied to scoring at least one non-historical dataset wherein the propensity computed by the model is indexed by the score.

31. (Currently Amended) A machine-based method comprising in connection with a project,

automatically selecting a model generation method from among a set of available model generation methods to match characteristics of historical data about a system being modeled,

generating a predictive model based on the historical data, and

displaying to a user a lift chart, monotonicity, and concordance scores associated with each step in a step-wise model fitting process.

- 32. (Original) The method of claim 31 also including enabling the user to observe changes in the fit of the model as variables associated with the data are added or removed from a predictor set of the variables.
- 33. (Original) The method of claim 31 also including enabling the user to terminate the fitting of the model when the fitting process reaches an optimal point.
- 34. (Currently Amended) A machine-based method comprising receiving from separate sources, sets of potential predictor and dependent variables representing historical data about a system being modeled, and enabling a user of a model generation tool to combine at least two models based on of the dependent variables from the sets of potential predictor and dependent variables to generate a model to be used in interacting with the system being modeled.
- 35. (Original) The method of claim 34 in which enabling the user to combine the variables includes providing a user interface that enables the user to identify the variables to be combined.

Serial No.: 10/826,630 Filed: April 16, 2004

Page : 7 of 14

36. (Previously Presented) The method of claim 34 in which the system being modeled comprises behavior of prospective or current customers with respect to products or services of a company and the method also includes adjusting outcome variables to normalize response rates across products or services with different response rates.

- 37. (Previously presented) The method of claim 34 in which the system being modeled comprises behavior of current customers with respect to retention of a current service or product of a vendor and the method also includes adjusting variables to normalize response rates across products or services with different response rates, using computed propensities as indices of the scores.
- 38. (Previously Presented) The method of claim 31 also comprising determining a course of action to yield the most positive net present value outcome.
- 39. (Original) The method of claim 38 in which the determining includes selection of a mix of channel and product combinations.
- 40. (Previously Presented) The method of claim 38 in which the determining includes predicting retention in combination with response rate to predict net present value.